





- <120> METHOD OF PREPARING A STANDARD DIAGNOSTIC GENE TRANSCRIPT PATTERN
- <130> Q56359
- <140> 09/429,003
- <141> 1999-10-29
- <150> PCT/GB98/01261
- <151> 1998-04-30
- <150> NO 972006
- <151> 1997-04-30
- <160> 8
- <170> PatentIn Ver. 2.1
- <210> 1
- <211> 15
- <212> DNA
- <213> synthetic construct
- <400> 1
- gacgatgagt ccgac

15

- <210> 2
- <211> 14
- <212> DNA
- <213> synthetic construct
- <400> 2
- cggtcaggac tcat

14

- <210> 3
- <211> 17
- <212> DNA
- <213> synthetic construct
- <400> 3
- ctcgtagact gcgtacc

17

```
<211> 13
<212> DNA
<213> synthetic construct
<400> 4
                                                                    13
taggtacgca gtc
<210> 5
<211> 21
<212> DNA
<213> synthetic construct
<400> 5
ctcgtagact gcgtacctaa t
                                                                    21
<210> 6
<211> 19
<212> DNA
<213> synthetic construct
<400> 6
gacgatgagt cctgaccga
                                                                    19
<210> 7
<211> 17
<212> DNA
<213> synthetic construct
<220>
<221> modified base
<222> (16)..(17)
<223> n at positions 16 and 17 is a, t, c or g
<400> 7
gactgcgtac ctaatnn
                                                                    17
<210> 8
<211> 18
<212> DNA
```

<210> 4

<213> synthetic construct

```
<220>
<221> modified_base
<222> (17)..(18)
<223> n at positions 17 and 18 is a, t, c or g
<400> 8
gatgagtcct gaccgann
```